



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

HITEC SENSOR DEVELOPMENTS INC.
dba HITEC SENSORS
10 Elizabeth Dr.
Chelmsford, MA 01824
William Low Phone: 978-742-9032

CALIBRATION

Valid To: May 31, 2027

Certificate Number: 1668.01

In recognition of the successful completion of the A2LA evaluation process (including an assessment of the organization's compliance with R205 – A2LA's Calibration Program Requirements), accreditation is granted to this laboratory to perform the following calibrations^{1,4}:

I. Mechanical

Parameter/Equipment	Range	CMC ^{2,3} (±)	Comments
Force Transducers	(1 to 10 000) lbf	0.09 % FS	Weights, hydraulic press with transducer
	(10 000 to 300 000) lbf	0.08 % FS	Hydraulic press with transducer
Torque Transducers	(1.2 to 500) lbf·in	0.10 % FS	Torque arm with weights
	(500 to 15 000) lbf·in	0.09 % FS	Torque arm with weights or transducer
	(15 000 to 360 000) lbf·in	0.09 % FS	Torque arm with transducer

¹ This laboratory offers commercial calibration service.

² Calibration and Measurement Capability Uncertainty (CMC) is the smallest uncertainty of measurement that a laboratory can achieve within its scope of accreditation when performing more or less routine calibrations of nearly ideal measurement standards or nearly ideal measuring equipment. CMCs represent expanded uncertainties expressed at approximately the 95 % level of confidence, usually using a coverage factor of $k = 2$. The actual measurement uncertainty of a specific calibration performed by the laboratory may be greater than the CMC due to the behavior of the customer's device and to influences from the circumstances of the specific calibration.

³ In the statement of CMC, "FS" indicates the CMC is a function of the full scale of the unit under test.

⁴ This lab meets A2LA's *P112 Flexible Scope Policy*.



Accredited Laboratory

A2LA has accredited

HITEC SENSOR DEVELOPMENTS INC. DBA HITEC SENSORS
Chelmsford, MA

for technical competence in the field of

Calibration

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017

General requirements for the competence of testing and calibration laboratories. This laboratory also meets R205 – Specific Requirements: Calibration Laboratory Accreditation Program. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 5th day of May 2025.

A blue ink signature, likely of Mr. Trace McInturff, written over a horizontal line.

Mr. Trace McInturff, Vice President, Accreditation Services
For the Accreditation Council
Certificate Number 1668.01
Valid to May 31, 2027

For the calibrations to which this accreditation applies, please refer to the laboratory's Calibration Scope of Accreditation.